20418-1029

### GENERAL PENCIL Company, Inc.

 $(T)650-369-4889 \cdot (F)650-369-7169$ 

#### **Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



#### IDENTITY (As Used on Label and List) General Pencil Charcoal

Charcoal

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

#### SECTION I

Manufacturer or Distributor's Name

General Pencil Company, Inc.

Address

(Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

**Emergency Telephone Number** 

1-800-537-0734

**Telephone Number for Information** 

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared 3/5/03

Signature of Preparer (optional)

#### Section II - Hazardous Ingredients/Identity Information

**Hazardous Components** 

ACGIH

Other Limits

%

**OSHA** (Specific Chemical Identity; Common Name(s)) TLV PEL

N/A

Recommended

(optional)

#### Section III - Physical/Chemical Characteristics

**Boiling Point** N/A Specific Gravity  $(H_2O = 1)$ N/A Vapor Pressure (mm Hg) N/A **Melting Point** N/A Vapor Density (AIR = 1) Evaporation Rate (Butyl Acetate = 1) N/A N/A Solubility in Water Reactivity in Water N/A Non-Reactive

Wood cased pencil, no odor Appearance and Odor

#### Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) **Flammable** 

Limits

LEL N/A UEL N/A

**Extinguishing Media** 

No special media required.

**Special Fire Fighting Procedures** 

No special fire fighting procedures required.

**Unusual Fire and Explosion Hazards** 

General Pencil Company, Inc.

MSDS

Page 1 of 4

Item Numbers: 20418-1029

Page 1 of 10

## General Pencil Company, Inc.

(T)650-369-4889 · (F)650-369-7169

Not combustible.

General Pencil Company, Inc.

MSDS Charcoal Page 2 of 4

### GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section V - Reactivity Data

Stability Unstable

**Conditions to Avoid** 

Stable

N/A

Incompatibility (Materials to Avoid)

**Hazardous Decomposition or Byproducts** 

Hazardous Polymerization May Occur

N/A

**Conditions to Avoid** 

Wili Not Occur N/A N/A

X

Section VI - Health Hazard Data

Route(s) of Entry:

Inhalation?

Skin? Eyes? Ingestion?

Х

**Health Hazards (Acute and Chronic)** 

None expected

Carcinogenicity:

NTP? No

IARC Monographs?

**OSHA Regulated?** 

No

Signs and Symptoms of Exposure

N/A

Medical Conditions Generally Aggravated by Exposure

**Emergency and First Aid Procedures** 

None Required

#### Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

None Required.

Waste Disposal Method

Dispose in accordance with Federal, State, and Local regulations

Precautions to Be taken in Handling and Storing

None required.

Other Precautions

None required.

General Pencil Company, Inc.

MSDS

Page 3 of 4

### GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

**Section VIII - Control Measures** 

Respiratory Protection (Specify Type)

None required.

Ventilation: Local Exhaust Special Mechanical (General)

N/A N/A N/A N/A

Protective Gloves Eye Protection

N/A N/A

Other Protective Clothing or Equipment

N/A

**Work/Hygienic Practices** 

N/A

#### **Section IX - Color Information**

This MSDS applies to the following colors which are associated with hazardous and/or non-hazardous ingredients.

557-2B

557-4B

557-6B

557-HB

#### Section X - Other

PMA Certified

\* U.S.G.P.O.: 1986 - 491 - 529/45775

Other

\*\*This information sheet is for the consumer use of this product only.

\*\*\*The information herein is given in good faith, but no warranty, expressed or implied, is made.

### General Pencil Company, Inc.

(T)650-369-4889 · (F)650-369-7169

#### **Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



# IDENTITY (As Used on Label and List) All Wood Cased Pencil Products Art - Office - School - Craft - Charcoal -

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

#### **SECTION I**

Manufacturer's Name

General Pencil Company, Inc.

**Graphite - Pastels - Colored** 

Address

(Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306 (CA) 3160 Bay Rd., Redwood City, CA 94063

(Specific Chemical Identity; Common Name(s))

**Emergency Telephone Number** 

1-800-537-0734

**Telephone Number for Information** 

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

**Date Prepared** Revised 4-15-2006 **Signature of Preparer (optional)** 

#### Section II - Hazardous Ingredients/Identity Information

**Hazardous Components** 

OSHA PEL

ACGIH TLV

Other Limits Recommended

% (optional)

Pencil products bearing the PMA Certification Mark (Seal) of the Pencil Makers Assoc. Inc., are not within the scope of the OSHA Hazard Communication Standard. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910 1200 (B) (5)

Pencil products bearing the PMA Certification Mark (Seal) are Certified in a program of toxicologic evaluation by a medical expert subject to review by the programs Toxicological review board to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans.

No acute or chronic health labeling is required under, provision of federal law, the federal hazardous substance act, or under ASTM Standard D 4236.

#### Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H <sub>2</sub> O = 1)	N/A
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A

Solubility in Water N/A

Appearance and Odor Solid Stick Form - Cedar Fragrance, Dk. Grey - Black

General Pencil Company, Inc.

MSDS

Page 1 of 3

Wood Cased Pencils

### General Pencil Company, Inc.

(T)650-369-4889 · (F)650-369-7169

Section IV - Fire and Explosion Hazard Data

Flash Point Flammable (Method Used) Limits LEL UEL 365° F N/A N/A N/A N/A

**Extinguishing Media** 

Foam, Carbon Dioxide, Dry Chemical

**Special Fire Fighting Procedures** 

A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.

Unusual Fire and Explosion Hazards

Pencil products <u>stored in bulk</u> are subject to ignition by fire and may, in case of fire, release toxic and other irritating gasses.

**Section V - Reactivity Data** 

Stability Unstable N/A Conditions to Avoid

Stable N/A N/A

Incompatibility (Materials to Avoid)

N/A

**Hazardous Decomposition or Byproducts** 

N/A

Hazardous Polymerization May Occur N/A Conditions to Avoid

N/A Will Not Occur N/A N/A

Section VI - Health Hazard Data

Route(s) of Entry: Inhalation? Skin? Ingestion?

N/A N/A N/A N/A

Health Hazards (Acute and Chronic)

N/A

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

N/A N/A N/A

Signs and Symptoms of Exposure

N/A

Medical Conditions Generally Aggravated by Exposure

N/A

**Emergency and First Aid Procedures** 

N/A

### GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Waste Disposal Method

Precautions to Be taken in Handling and Storing

N/A

Other Precautions

N/A

**Section VIII - Control Measures** 

**Respiratory Protection (Specify Type)** 

N/A

Ventilation:

Local Exhaust

N/A

Special

N/A

Mechanical (General) N/A

Other

N/A

**Protective Gloves** 

**Eye Protection** 

N/A

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

N/A

Section IX - Other

PMA Certified

\* U.S.G.P.O.: 1986 - 491 - 529/45775

\*\*This information sheet is for the consumer use of this product only.

<sup>\*\*\*</sup>The information herein is given in good faith, but no warranty, expressed or implied, is made.

### GENERAL PENCIL COMPANY, INC.

 $(T)650-369-4889 \cdot (F)650-369-7169$ 

#### **Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



#### **IDENTITY (As Used on Label and List) Factis Erasers**

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

#### **SECTION I**

Manufacturer's or Distributors Name

General Pencil Company, Inc.

**Address** 

(Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

**Emergency Telephone Number** 

1-800-537-0734

**Telephone Number for Information** 

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared 9/10/02

Signature of Preparer (optional)

#### Section II - Hazardous Ingredients

**Hazardous Components** (Specific Chemical Identity; Common Name(s))

**OSHA** ACGIH PEL TLV

Other Limits Recommended

0/0 (optional)

#### Section III - Physical and Chemical Characteristics

**Boiling Point** N/A Specific Gravity  $(H_2O = 1)$ N/A Vapor Pressure (mm Hg) N/A **Melting Point** N/A Vapor Density (AIR = 1)N/A Evaporation Rate (Butyl Acetate = 1) N/A Solubility in Water N/A Reactivity in Water Non-Reative Appearance and Odor

#### Section IV - Fire and Explosion Information

N/A

Flash Point **Auto ignition** (Method Used) Temperature Explosion limits in air

(% by volume) Not explosive

**Extinguishing Media** 

No special media required

Special Fire Fighting Procedures

No special fire fighting procedures required

**Unusual Fire and Explosion Hazards** 

Not combustible

General Pencil Company, Inc.

MSDS

Page 1 of

N/A

### GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section V - Physical Hazards/Reactivity

Stability Unstable N/A Conditions to Avoid

Stable N/A N/A

**Hazardous Polymerization Products** 

N/A

Incompatibility (Materials to Avoid)

N/A

**Hazardous Decomposition or Byproducts** 

N/A

Hazardous Polymerization May Occur N/A Conditions to Avoid

Will Not Occur N/A N/A

#### **Section VI - Health Hazard Data**

Permissible Exposure Level

See Section II for Component PEL/TLV's

Route(s) of Entry

Eye, Skin, Ingestion

**Effects and Symptoms of Acute Exposure** 

None expected

**Effects and Symptoms of Chronic Exposure** 

None expected

Carcinogen Listing NTP IARC OSHA

NO

NO

See Section II for Components Affected

Medical Conditions Usually Aggravated by Over Exposure to This Product

None

First Aid Measures

None required. No acute health effects expected

#### Section VII - Spill or Leak Procedures

Precautions to Be taken in Handling and Storing

NO

N/A

Steps to be Taken In Case a Material is Spilled

No special spill procedures required

Waste Disposal Method

Dispose in accordance with Federal, State, and Local regulations.

## GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

### Section VIII - Protective Equipment/Control Measures

Respiratory Protection and Special Ventilation Requirements

None

Other Protective Equipment (Gloves, Goggles, Etc)

None Required

**Work/Hygienic Practices** 

None Required

\* U.S.G.P.O.: 1986 - 491 - 529/45775

\*\*This information sheet is for the consumer use of this product only.

\*\*\*The information herein is given in good faith, but no warranty, expressed or implied, is made.